


字幕放送

解説放送(副音声)

まよの

健康



A photograph of a group of people standing in a dense, green forest. The image is slightly blurred and has a soft, ethereal quality. Overlaid on the center of the image is Japanese text in a stylized, orange-red font with a white outline and a drop shadow effect. The text is arranged in two lines. The first line reads '実はアブナイ!?' (Actually, it's dangerous!?) and the second line reads '若者のほしか' (Young people's wish).

実はアブナイ!?

若者のほしか


実はアブナイ?  
若者のほしか


松岡正美

福家 睦

# 年齢別 はしか患者数

2008年1月~10月





nikE

実はア  
イ!?

若者  
か



園部友良

予防接種・小児医療が専門

## はしか(麻しん)

○免疫がない人に感染

○流行:特に春～初夏

○感染力:極めて強い

○合併症・死亡なども

はしかウイルス

【図】 小池寛典さん



## はしかの症状

潜伏期間 感染後10~12日間

かぜのような症状

せき 鼻水 くしゃみ

目の充血 目やに

39度前後の高熱





## はしか発しんの写真



写真提供：馬場宏一 医師

## はしかの合併症

気管支炎

肺炎

脳炎

死にいたる  
ことも...

知能障害・運動障害などの後遺症も

## 定期接種の移り変わり

1978年  
?

1回接種



予防接種

ついでに



免疫あり

免疫

弱くなった  
なくなった  
つかえなかった

ついでに



免疫なし

## 定期接種の移り変わり

1978年  
?

1回接種




2006年  
?


2回接種



● 1才・小学校に入る前の1年




免疫 VS ウイルス



# 年齢別 はしか患者数

2008年1月~10月



## 修飾麻しん

● 症状軽い

● はしかと  
診断されにくい

● 感染力はあり



## 10代のはしかの定期接種

1978年  
～

1回接種



追加の接種の機会

2008～  
2012年  
に限って

中1

高3



# はしかワクチン



MMR



MR

おたふく風邪

はしか

はしか

風しん

風しん

## 接種を控える場合

- 発熱している
- 重い急性疾患
- 過去に同じワクチン接種で  
アナフィラキシーショック
- 妊娠中

